

VINES

AKEBIA QUINATA (Five Leaf Akebia, Silver Bells): Full sun to partial shade. One of the best foliage vines. Grows quickly if cut back.

	<i>A. quinata</i> (GW)	3-4'	Early summer blooms. Bears attractive clusters of flowers.		
--	------------------------	------	--	--	--

AMPLELOPIS (Porcelain Berry): Sun-part sun. Exceptional vine with elegant variegated foliage. Self-clinging tendrils. Mulch in winter.

	<i>A. brevipedunculata</i> 'Elegans' (GW)	15'	Shiny metallic-blue berries. Small green leaves with splashes of pink and white. Red stems.		
--	--	-----	---	--	--

ARISTOLOCHIA (Dutchman's Pipe): Full to part sun. Fast growing vine, excellent for screening, grabs by twining tendrils.

	<i>A. durior</i> (Order in)	30'	8-10" wide leaves with pipe-shaped, mahogany and cream flowers.		
--	-----------------------------	-----	---	--	--

CAMPSIS (Trumpet Vine): Full sun. Extremely fast growing. Nice scent. Attracts hummingbirds. Good for decorating fences, trellises and arbors.

	<i>C. radicans</i> 'Flamenco' (GW)	30'	Vigorous red blooms all summer		
--	------------------------------------	-----	--------------------------------	--	--

CLEMATIS (38 Varieties): Needs sun to bloom but likes its roots in cool soil. Mulch around base of plant to keep roots cool. Sensational bloomer. Good for use along fences or on a trellis.

PRUNING: Group A: Flowers only on growth produced the previous year. Prune out weak or dead stems as soon as they are finished blooming, and remove stems that have bloomed. April/May Bloomers.

Group B: Flowers on both old and new wood. Prune in early spring. A light pruning with some variation in the length of the stems will produce a balanced plant. Dead wood or weak stems should be removed at this time. Hard pruning will often rejuvenate a neglected or older plant. May, June or later Bloomers.

Group C: Flowers on new wood and benefits from hard pruning in the spring.

	<i>C.</i> 'Artic Queen'	6'	White, double flowers. May-August. B		
	<i>C.</i> 'Barbara Harrington'	6-8'	Velvety light red flowers and yellow anthers. June-Sept. B		
	<i>C.</i> 'Barbara Jackman'	6-8'	Pale blue petals with a deep red bar and yellow anthers. June-Aug. B		
	<i>C.</i> 'Blue Angel'	6-8'	Pale lavender-blue flowers with yellow anthers. June-August. B		
	<i>C.</i> 'Bourbon'	4-6'	Vibrant 5" red flowers with		

			yellow anthers. June-August. B		
	C. 'Cardinal Wyszynski'	6-8'	Large crimson flowers, vigorous grower, dark anthers. July-Sept. C		
	C. 'Crystal Fountain'	6-8'	Lilac-blue double flowers. Fountain center. June-Sept. B		
	C. 'Dr. Ruppel'	6-8'	Pink lavender ruffled edge with deep red center bar. May, June & Sept. B		
	C. 'Franziska Maria'	6'	Double purple flowers and yellow anthers. June-Sept. B		
	C. 'Galore'	6-8'	Free flowering purple flowers with yellow anthers. July- Sept. C		
	C. 'Gillian Blades'	6-8'	Large pure white ruffled flowers and gold anthers. May-June. B		
	C. 'Gypsy Queen'	6-8'	Velvet rich 6" purple with lighter anthers. July, August & Sept. C		
	C. 'Hagley Hybrid'	8-10'	Shell pink 5" blooms. June- Sept. C		
	C. 'Henryi'	8-10'	Pure white 7" blooms. June- Aug. B		
	C. 'Jackmanii Superba'	8-12'	Large 7" purple blooms. June- Aug. C		
	C. 'John Paul II'	6-10'	6" pink flowers. Very vigorous. May/June and Sept. B		
	C. 'Josephine'	6-8'	Dark and light pink double pom pon type. June-Aug. B		
	C. 'Kingfisher'	6-8'	7" large blue-purple flowers in June/July and again late August. B		
	C. 'Kilian Donahue'	6-8'	Light pink with ruby-red centers and bars. May and August. B		
	C. 'Lady Betty Balfour'	6-8'	Rich purple with creamy white anthers. July and Sept. C		
	C. 'Liberation'	6-10'	6" deep pink flowers w/dark central bar. May/June and Aug./Sept. B		
	C. 'Mrs. Cholmondeley'	6-10'	Very large true blue blooming variety. May, June & Sept. B		
	C. 'Mrs. N. Thompson'	6-8'	Deep blue w/deep scarlet bar. May/June and Sept. B		
	C. 'Multi-Blue'	6-8'	Deep double blue flowers. Best in light shade. June/July & Aug/Sept. B		
	C. 'Nelly Moser'	6-10'	Light mauve with deep carmine bars. May/June & Sept. B		
	C. 'Niobe'	6-8'	Ruby red flowers. June & Aug/Sept. B		

	<i>C. ten.</i> 'Paniculata'	10-20'	Sweetly scented creamy white blooms. Fall. C		
	<i>C. tex.</i> 'Pagoda'	8-10'	Small flowered variety. Pink, nodding flowers. July-Sept. C		
	<i>C. tex.</i> 'Princess Diana'	6-8'	2" white and pink tulip-like flower. July-Sept. C		
	<i>C.</i> 'Pink Champagne'	6'	Deep rosy-pink. Free flowering. May/June & Aug/Sept. B		
	<i>C.</i> 'Rhapsody'	6-8'	Free flowering blue-pink flowers. July-Sept. C		
	<i>C.</i> 'Rosemoor'	8-10'	Large rose colored flowers and yellow anthers. May-Sept. B		
	<i>C.</i> 'Rouge Cardinal'	6-8'	Crimson with blunt tipped recurving sepals. June-Sept. C		
	<i>C.</i> 'Silver Moon'	6-8'	Silvery-mauve flowers. Great in shade. June, July and Aug. B		
	<i>C.</i> 'Sunset'	6-10'	6" dark velvet red flowers. Continuous bloom May-Sept. B		
	<i>C.</i> 'Tangutica' aka 'Golden Tiara'	8-12'	Fast growing, small yellow bell-shaped flowers. July-Oct. C		
	<i>C. viticella</i> 'Venosa Violacea'	6-8'	Purple edged flowers with white purple streaked bars. July-Aug. C		
	<i>C.</i> 'Will Goodwin'	6-10'	Powder blue flowers. June-Sept. B		

HUMULUS (Hops): Full to part sun. Useful for concealing unsightly garden sheds or tree stumps. Male and female flowers are produced on separate plants: female flower spikes become drooping clusters known as "hops." Grow in a position in sun or semi-shade and in any well-drained soil.

	<i>H. lupulus</i> 'Nugget' (GW)	18'	Yellow, cone-shaped hops.		
--	---------------------------------	-----	---------------------------	--	--

HYDRANGEA ANOMALA PETIOLARIS (Climbing Hydrangea): Sun to shade. Lush, round dark green foliage. Very showy scrambling up against a tree or on fencing. Clusters of fragrant flowers and showy white bracts in early summer.

	<i>H. anomala petiolaris</i> (GW)	20'	White flowers.		
--	-----------------------------------	-----	----------------	--	--

LONICERA (Climbing Honeysuckle) (2 Varieties): Full sun but somewhat shade tolerant. Vigorous, twining woody habit. Attracts hummingbirds.

	<i>L. x.</i> 'Dropmore Scarlet' (GW)	6-8'	Scarlet blooms in early summer.		
	<i>L. x.</i> 'Mandarin' (GW)	10'	Long tubular orange-yellow blooms in 2-3" clusters. Young leaves and stems are coppery brown and mature to green. Summer bloom.		

PARTHENOCISSUS (Ivy) (2 Varieties): Sun to shade. When unsupported, makes a vigorous groundcover. Good for moderate to large scale use as well as erosion control.

	<i>P. quinquefolia</i> 'Engelmannii' (GW)	30-50'	Will grow under black walnut trees. Non-ornamental flowers. Berrylike fruit. Grows successfully in both heavy clay and sand.		
	<i>P. tricuspidata</i> 'Vietchii' (Boston Ivy) (GW)	60'	One of the best vines for clinging to stone and brick. Robust grower, red fall color.		

POLYGONUM (Silver Lace Vine): Full sun. Fast growing, Fall blooming vine.

	<i>P. aubertii</i> (GW, Donahue)	20'	Fast growing vine with profuse fragrant white flowers late summer and fall.		
--	-------------------------------------	-----	---	--	--

WISTERIA (wi-steer' i-a): Full sun. Moist, well-drained soil. Vigorous and quick growing.

	<i>W. x</i> 'Blue Moon' (GW)	25'	Large, showy lilac-blue flowers, resembling grapes. Sweet, intense fragrance. Blooms 1st year and can repeat blooms 3 times/year.		
--	---------------------------------	-----	---	--	--